

South Africa 0861 105 955 U.K. 07081 825 466

Importers and Distributors of CCTV products

DVR08PV

8CH Full 960H DVR

Push Video + Push Status + Full 960H Video Recording + 1080P HDMI



FEATURES

Push Video & Push Status - Active Event Notification with EagleEyes App

- Push Video to send instant notifications for an alarm event when an alarm device is connected to the DVR.
- Push Status to send instant notifications for system events, such as video loss or HDD data removal.

> All-Channels 960H Video Recording

• Supports 960H video recording for all channels for evidentiary recording with high quality and clear images.

> HDMI Video Output at 1080P Resolution

• Full HD video display through HDMI interface.

Mobile Surveillance with EagleEyes App

· Compatible with iOS & Android mobile devices.

> Remote Surveillance with Browsers and CMS

- For web browsers, compatible with Internet Explorer, Mozilla Firefox, Google Chrome, Safari & Opera.
- For CMS software, available with our self-developed and free software, "Video Viewer.
- Applicable also to Apple's media player, QuickTime.

External Disk Array Support for More Video Storage

• eSATA interface built-in to connect a disk array (up to 4-bay disk array with RAID 0 and 1) for more video storage

Independent Channel Control

• Definable "Resolution" / "Quality" / "IPS" by channels at your preferences to increase the recording efficiency, and avoid any important scenes to be missed.

Remote Independent Operation

• Channel switching is independent from the local site, allowing users to have private image monitoring remotely.

Multiplex

• Allows live display, record, playback, backup and network operation at the same time.

Backup Function

• Supports USB flash drive and network backup.

O SPECIFICATIONS

☐ Video		
Video System		NTSC / PAL (auto detection)
Video System Video Compression Format		H.264
Video Compression Format Video Input		
Video Output BNC		8 channels (Composite video signal 1 Vp-p 75Ω BNC) YES (Call monitor for sequence display)
video Odipul	VGA	YES
		YES
Decal Vista - Octobrit	HDMI	
Dual Video Output		YES
□ Record & Backup		
Maximum Recording Rate	960H	960 x 480 pixels with 240 IPS <ntsc> / 960 x 576 pixels with 200 IPS <pal></pal></ntsc>
	Frame	704×480 pixels with 240 IPS <ntsc> / 704×576 pixels with 200 IPS <pal></pal></ntsc>
	Field	704x240 pixels with 240 IPS <ntsc> / 704×288 pixels with 200 IPS <pal></pal></ntsc>
	CIF	352×240 pixels with 240 IPS <ntsc> / 352×288 pixels with 200 IPS <pal></pal></ntsc>
Recording Mode		Manual / Timer / Motion / Alarm / Remote
Pre-alarm Recording		YES
Quick Search		Time / Motion / Alarm search mode
Backup Device		USB 2.0 flash drive / Network
□ Audio		
Audio Input		4 audio inputs
Audio Output		1 audio output (Mono)
☐ General		
Hard Disk Storage**		Up to 1 SATA HDD
SATA Interface		YES
eSATA Interface		YES (For external disk array connection)
Image Quality Setting		SUPER BEST / BEST / HIGH / NORMAL
USB Mouse Control		YES
Motion Detection Area		16 × 12 grids per channel
Motion Detection Sensitivity		3 adjustable parameters for accurate detection
Event Notification		Push Video / FTP / E-Mail
Picture Zoom		2X digital zoom
PTZ Control		YES
Alarm I/O		8 inputs (2 inputs for Push Video), 1 output
IR Remote Control		YES (IR receiver built-in)
Key Lock (Password Protection)		YES
User Level		4 user levels for different access privilege
Video Loss Detection		YES
Camera Title		Supports up to 12 letters
Video Adjustable		Hue / Saturation / Contrast / Brightness
Date Display Format		YY/MM/DD, DD/MM/YY & MM/DD/YY
Daylight Saving		YES
Power Source (±10%)		DC 19V / 2.1A
Power Consumption (±10%)		10.5W (without hard disk and camera)
Operating Temperature		10°C ~ 40°C (50°F ~104°F)
Dimensions (mm)**		343(W) x 59(H) x 223(D)
□ Network		
Ethernet		1000 Base-T. Supports remote control and live view via Ethernet
Network Protocol		TCP/IP, PPPOE, DHCP and DDNS
1		

O SPECIFICATIONS

☐ Remote Surveillance from PC			
Compatible Operating System	Windows & MAC		
Compatible Program	Web Browser: Internet Explorer, Mozilla Firefox, Google Chrome, Safari & Opera		
	Video Viewer: For both Windows and MAC operating systems		
	QuickTime For both Windows and MAC operating systems		
Max. online users	10		
Web Transmitting Compression Format	H.264		
Network Live Audio	YES		
Remote Independent Operation	YES		
Remote Event Download & Playback	YES		
R.E.T.R. (Remote Event Trigger Recording)	YES		
☐ Mobile Surveillance			
Арр	EagleEyes		
Compatible Devices	iPad, iPhone, BlackBerry, Windows Mobile, Symbian & Android mobile devices		
Push Video & Push Status	YES (With EagleEyes for iPhone, iPad, Android versions)		
□ Others			
AVTECH Free DDNS service	YES		
Multiplex Operation	Live display / record / playback / backup / network operations		
System Recovery	System auto recovery after power failure		
Optional Peripherals	Keyboard Controller		

^{*} The specifications are subject to change without notice.
** 1 HDD capacity up to 3TB
*** Dimensional tolerance: ±5mm

O REAR PANEL

