

Importers and Distributors of CCTV products
20M IR Indoor IP Colour Camera

CIP20D



Features

Indoor IR Network camera

Hi-Res. – 1.3MP

IR LED: ϕ 5x24 Pcs IR LED, working distance: 20M

Built-in POE

H.264 Dual stream, Full Real Time

Lens: Board Lens 3.6

Specifications

TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/1-1/10000Sec; NTSC 1/1-1/10000Sec
Sync System	External
Usable Illumination	0.01Lux
S/N Ratio	\geq 52dB
Scanning System	Progressive
Video Output	Network
Lens	
Focus Length	3.6mm
Pixels	1.3 Mega Pixel
Night Vision	
Infrared Distance	20M
IR Status	Under 10 Lux By CDS
IR Power On	CDS Auto Control
Network	
Ethernet	RJ-45 (10/100Base-T)
Protocol	IPv4, HTTP, TCP/IP, FTP, NTP, RTSP, UDP, SMTP, DNS, DDNS
ONVIF	Support ONVIF 2.4
P2P	YES, Support QR Code
POE	Optional, Support IEEE 802.3af
WIFI	N/A
Video Delay	0.3S (Within the Lan)
Main Stream	1280*960
Sub Stream	704*576, 352*288
IE Brower	IE6-11
Smart Phone	iPhone, iPad, Android, Android Pad
Camera Features	
Day/Night	Color/ B&W (IR-CUT)
Compression	H.264/JPEG,Support record AVI format.
Image Config	Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
Motion Detection	Support
Privacy Masking	3 Rectangular Zone
DWDR	YES
Recording Mode	NVR/NAS/CMS/Web
General	
Housing	Metal
IR Cut Filter	YES
Operation Temperature	-10 $^{\circ}$ C ~ +50 $^{\circ}$ C RH95% Max
Storage Temperature	- 20 $^{\circ}$ C ~ +60 $^{\circ}$ C RH95% Max
Power Source	DC12V \pm 10%, 1000mA
Dimension	ϕ 86 x 90(H) mm
Weight (POE)	0.2KG
Weight	0.5KG